

Housing - HC-B 6-TFL-72/O1M20S - 1604734

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



HEAVYCON sleeve housing B6, for single locking latch, height 72 mm, with support 1x M20, lateral conductor exit

Key commercial data

| | |
|-------------------------|---------------|
| package_quantity | 10 |
| GTIN | 4017918882433 |

Technical data

Dimensions

| | |
|---------------|-------|
| Height | 72 mm |
| Width | 53 mm |
| Length | 60 mm |

Ambient conditions

| | |
|---|-------------------|
| Degree of protection of housing (IP) | IP65 |
| Ambient temperature (operation) | -40 °C ... 125 °C |

General

| | |
|-------------------------------------|---|
| Note | For contact inserts HC-B6, BB10, DD24, M Tall housings for extra large wiring space |
| Type | B6 |
| Housing type | Sleeve housings |
| Locking type | for single locking latch |
| No. of cable exits | 1 |
| Cable exit | Lateral |
| Screw connection | none |
| Type of the screw connection | 1x M20 |
| Housing material | Aluminum die-cast |
| Housing surface material | Powder-coated, gray |

classifications

eCl@ss

| | |
|-------------------|----------|
| eCl@ss 4.0 | 27140816 |
| eCl@ss 4.1 | 27140816 |

Housing - HC-B 6-TFL-72/O1M20S - 1604734

classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 5.0 | 27143424 |
| eCl@ss 5.1 | 27143424 |
| eCl@ss 6.0 | 27143424 |
| eCl@ss 7.0 | 27440209 |
| eCl@ss 8.0 | 27440209 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000437 |
| ETIM 3.0 | EC000437 |
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC000437 |


UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 31261502 |
| UNSPSC 7.0901 | 31261502 |
| UNSPSC 11 | 31261502 |
| UNSPSC 12.01 | 31261502 |
| UNSPSC 13.2 | 31261502 |

approvals

GOST /

Approval details



accessories

Full screw connection

HC-K-KV-M20(8-13) - 1690626



Housing - HC-B 6-TFL-72/O1M20S - 1604734

accessories

HC-M-KV-M20(9-13) - 1690561



HC-M-KV-M20(11-16) - 1645998



HC-M-KV-M20(1ASI) - 1584017



Drawings

Dimensioned drawing

