

UC-TM 5 CUS


Order No.: 0824581



<http://eshop.phoenixcontact.net/phoenix/treeViewClick.do?UID=0824581>

Marker for terminal blocks, can be ordered: by sheet, white, labeled according to customer specifications, Mounting type: Snap into tall marker groove, for terminal block width: 5.2 mm, Lettering field: 10.5 x 4.6 mm



Commercial data	
EAN	4  046356 359092
Note	Made-to-order
Pack	1 pcs.
Customs tariff	39269097
Gross weight in pieces	0.01158 KG
Net weight per piece (exclusive packing)	0.0087 KG
Catalog page information	Page 59 (C-5-2013)

Product notes

WEEE/RoHS-compliant since: 03/14/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Dimensions	
Width (a)	5 mm
Ambient conditions	
Ambient temperature (operation)	-40 °C ... 120 °C

General

Color	white
Components	free from silicone and halogen
Inflammability class according to UL 94	V2
Material	PA
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Number of individual labels	96
Number of individual labels per row	12
Marking mounting type	Snap into tall marker groove

Certificates / Approvals


Certification

Certifications applied for:

Certification Ex:

Diagrams/Drawings

Schematic diagram



- ① Horizontal
- ② Vertical

Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;