

# Fuse plug - P-FU 5X20 - 3036806

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Fuse plug, Nominal current: 6.3 A, Length: 28 mm, Width: 6.2 mm, Height: 25 mm, Color: black

## Product Features

- Test contacts on both sides of the fuse
- Versions with bipolar defect indicator
- Can be used for overload/short-circuit protection

## Key commercial data

<b>package_quantity</b>	10
<b>GTIN</b>	4017918943899

## Technical data

### General

<b>Note</b>	Prior to replacing the cartridge fuse, disconnect the fuse connector from the basic terminal block.
<b>Color</b>	black
<b>Insulating material</b>	PA
<b>Inflammability class according to UL 94</b>	V0

### Dimensions

<b>Width</b>	6.2 mm
<b>Length</b>	28 mm

### General

<b>Fuse</b>	G / 5 x 20
<b>Nominal current <math>I_N</math></b>	6.3 A
<b>Nominal voltage <math>U_N</math></b>	500 V (if used as fuse terminal block)
<b>Nominal voltage <math>U_N</math></b>	500 V (if used as disconnect terminal block)
<b>Temperature index, insulating material (DIN EN 60216-1 (VDE 0304-21))</b>	130 °C

## classifications

### eCl@ss

<b>eCl@ss 4.0</b>	27141199
-------------------	----------

# Fuse plug - P-FU 5X20 - 3036806

## classifications

### eCl@ss

eCl@ss 4.1	27141199
eCl@ss 5.0	27141145
eCl@ss 5.1	27141145
eCl@ss 6.0	27141149
eCl@ss 7.0	27141149
eCl@ss 8.0	27141149

### ETIM

ETIM 2.0	EC000897
ETIM 3.0	EC000897
ETIM 4.0	EC002018
ETIM 5.0	EC002018

### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

## approvals

CSA /


### Approval details

Nominal voltage UN	300 V
Nominal current IN	10 A
mm <sup>2</sup> /AWG/kcmil	

## Drawings

# Fuse plug - P-FU 5X20 - 3036806


Application drawing



Fuse terminal blocks in interconnected arrangement, block consisting of 5 fuse terminal blocks

# Fuse plug - P-FU 5X20 - 3036806

Application drawing



Fuse terminal block in single arrangement, block consisting of one fuse terminal block and 4 feed-through terminal blocks

© Phoenix Contact 2014 - all rights reserved  
<http://www.phoenixcontact.com>