

# Electronic housing - UM108-SE - 2959476

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Side element, 5 mm wide, PCB width: 107.5 mm



## Product Features

- Lateral elements with potential ground contact available from the PCB to the DIN rail (EMC)
- Inexpensive as a result of reducing the number of separate housing parts
- Flexible size and shape
- Fast assembly on standard NS 35 or NS 32 DIN rails
- Wide range of options for external conductor connection
- High degree of mechanical stability by screwing the lateral elements to the profile
- The modules can be marked with Phoenix Contact marking material using the marking grooves in the press-drawn section

## Key commercial data

<b>package_quantity</b>	10
<b>GTIN</b>	4017918086138

## Technical data

### General

<b>Housing type</b>	Panel mounting base
<b>Housing material</b>	PA
<b>Color</b>	green

### Technical data

<b>Inflammability class according to UL 94</b>	V0
--	----

## classifications

### eCl@ss

<b>eCl@ss 4.0</b>	27180401
<b>eCl@ss 4.1</b>	27180401
<b>eCl@ss 5.0</b>	27180506
<b>eCl@ss 5.1</b>	27180506
<b>eCl@ss 6.0</b>	27180802
<b>eCl@ss 7.0</b>	27182701
<b>eCl@ss 8.0</b>	27182701

# Electronic housing - UM108-SE - 2959476

## classifications

### ETIM

<b>ETIM 2.0</b>	EC001031
<b>ETIM 3.0</b>	EC001031
<b>ETIM 4.0</b>	EC001031
<b>ETIM 5.0</b>	EC000721

### UNSPSC

<b>UNSPSC 6.01</b>	31261501
<b>UNSPSC 7.0901</b>	31261501
<b>UNSPSC 11</b>	31261501
<b>UNSPSC 12.01</b>	31261501
<b>UNSPSC 13.2</b>	31261501


## approvals

---

UL Recognized /

---

### Approval details



## Drawings

© Phoenix Contact 2014 - all rights reserved  
<http://www.phoenixcontact.com>