

Rittal – The System.

Faster – better – everywhere.

Bus enclosures BG – BG 1559.510

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Bus enclosures BG – BG 1559.510

created : 18.03.2014 on www.rittal.com/com-en



Product description

Material:

- Enclosure: Sheet steel
- Door: Sheet steel
- Viewing window: made from polycarbonate, 4 mm

Surface finish:

- Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint

Colour:

- RAL 7035

Protection category IP to IEC 60 529:

- IP 65

Protection category NEMA:

- NEMA 12

Supply includes:

- Enclosure with door
- Viewing window in the door
- Gland plate in enclosure base

Packs of:

- 1 pc(s).

EAN:

- 4028177262010

Customs tariff number:

- 94032080

Product features

Dimensions:

- Width: 600 mm
- Height: 200 mm
- Depth: 125 mm

Support rails:

- Qty. (type TS 35/7.5): 1

Door hinge:

- bottom

Number of quick-release fasteners:






- 3

Weight:

- 5.7 kg

Approvals

Approvals:

-  [UL + C-UL \(EN\)](#)
-  [Lloyds Register of Shipping \(EN\)](#)
-  [TÜV \(DE\)](#)
-  [TÜV \(EN\)](#)
-  [VDE \(EN, DE\)](#)

Downloads

Data sheets:

-  [Technical details \(EN\)](#)

CAD drawings:

- Request

Please note that there are the following alternative products:



Bus enclosures BG Stainless steel

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP