

# Rittal – The System.

Faster – better – everywhere.

## Compact system enclosures CM – CM 5111.500

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Compact system enclosures CM – CM 5111.500

created : 18.03.2014 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

### Material:

- Enclosure: Sheet steel 1.5 mm
- Door: Sheet steel, 2.0 mm, all-round foamed-in PU seal
- Mounting plate: Sheet steel 3.0 mm

### Surface finish:

- Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint
- Mounting plate: Zinc-plated

### Colour:

- RAL 7035

### Protection category IP to IEC 60 529:

- IP 55 with selection of the appropriate gland plates or trim panel

### Protection category NEMA:

- NEMA 12 with selection of the appropriate gland plates or trim panel

### Supply includes:

- Enclosure with hinged door(s)
- 3-point locking system with double-bit insert
- Mounting plate
- Open base for individual cable entry

### Packs of:

- 1 pc(s).

### EAN:

- 4028177479692

## Product features

### Dimensions:

- Width: 600 mm
- Height: 1000 mm
- Depth: 400 mm

---

**Mounting plate:**

- Width: 540 mm
- Height: 955 mm

---

**Number of doors:**

- 1

---





**Weight:**

- 49 kg

---



## Approvals

**Approvals:**

-  [UL + C-UL \(EN\)](#)
-  [Lloyds Register of Shipping \(EN\)](#)
-  [TÜV \(DE\)](#)
-  [CSA \(EN\)](#)

---


**Declarations:**

-  [Manufacturer's declaration \(EN, DE\)](#)
-  [Declaration of conformity \(EN, DE\)](#)

---


## Downloads

**Data sheets:**

-  [Technical details \(EN\)](#)

---

**Documentation:**

-  [Instructions \(SE, ES, DE, EN, FR, NL, IT, JP\)](#)

---

**CAD drawings:**

- Request

# Rittal – The System.

---

**Faster – better – everywhere.**

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG  
Postfach 1662 · D-35726 Herborn  
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319  
E-Mail: [info@rittal.com](mailto:info@rittal.com) · [www.rittal.com](http://www.rittal.com)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

