

Rittal – The System.

Faster – better – everywhere.

System enclosures SE 8 – SE 5841.500

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



System enclosures SE 8 – SE 5841.500

created : 18.03.2014 on www.rittal.com/com-en



Product description

Description:

- Free-standing enclosure system based on the TS 8 platform. System accessories for TS 8 interior installation can be used without restriction.

Material:

- Enclosure: Sheet steel 1.5 mm
- Door: Sheet steel, 2.0 mm
- Rear panel: Sheet steel, 1.5 mm
- Gland plates: Sheet steel, 1.5 mm
- Mounting plate: Sheet steel 3.0 mm

Surface finish:

- Mounting plate and gland plates: Zinc-plated

Colour:

- RAL 7035

Protection category IP to IEC 60 529:

- IP 55

Protection category NEMA:

- NEMA 12

Supply includes:

- Enclosure, solid top and sides
- Door(s)
- R/h door hinge with single-door enclosures, may be swapped to opposite side
- Mounting plate
- Gland plates
- Rear panel, detachable
- Lock: 3 mm double-bit
- Rear panel, one-piece

Packs of:

- 1 pc(s).

EAN:

- 4028177666498

Product features

Dimensions:

- Width: 1200 mm
- Height: 1800 mm
- Depth: 400 mm

Mounting plate:

- Width: 1099 mm
- Height: 1696 mm

Number of doors:

- 2

Weight:

- 175 kg

Approvals

Approvals:




-  [UL + C-UL \(EN\)](#)

Declarations:

-  [Declaration of conformity \(EN, DE\)](#)
-  [Manufacturer's declaration \(EN, DE\)](#)

Downloads

Documentation:

-  [Product presentation \(DE\)](#)
-  [Product presentation \(EN, DE\)](#)
-  [Instructions \(FR, EN, DE\)](#)

CAD drawings:

- Request

Please note that there are the following alternative products:



Baying systems TS 8

Further information on this product
[» www.rittal.com/com-en/Baying_systems_TS_8](http://www.rittal.com/com-en/Baying_systems_TS_8)



System enclosures SE 8 Stainless steel



Baying systems TS 8



Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP