

Rittal – The System.

Faster – better – everywhere.

► **Wall-mounted enclosures AE with 482.6 mm (19") mounting angles, depth-variable – DK 7641.000**

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wall-mounted enclosures AE with 482.6 mm (19") mounting angles, depth-variable – DK 7641.000

created : 18.03.2014 on www.rittal.com/com-en



Product description

Description:

- Wall-mounted enclosure for small networks with a high protection category.

Material:

- Enclosure: Sheet steel

Surface finish:

- Enclosure: Powder-coated
- Mounting angles: Zinc-plated

Colour:

- RAL 7035

Protection category IP to IEC 60 529:

- Up to IP 66 (depending on the selected gland pate)

Supply includes:

- Enclosure with hinged door
- Door hinged on the right, may be swapped to the left
- Cam lock with 3 mm double-bit insert
- Gland plate with brush strip for cable entry in the enclosure base
- Mounting angles, 482.6 mm (19"), fully depth adjustable
- C rail, for cable clamping on the rear panel
- Metal bracket for optional accommodation of an earth rail or 482.6 mm (19") socket strip

Packs of:

- 1 pc(s).

EAN:

- 4028177147027

Customs tariff

number: • 94032080

Product features

Dimensions:

- Width: 600 mm
- Height: 380 mm
- Depth: 350 mm

Installation height for components:

- 8 U

Installation depth:

- 310 mm

Door hinge:

- right, may be swapped to the left

Number of cam locks:

- 1

Gland plate, size:

- 5

Gland plates, qty.:

- 1



Approvals

Approvals:

-  [TÜV \(EN\)](#)
-  [VDE \(EN, DE\)](#)
-  [Germanischer Lloyd \(EN\)](#)
-  [TÜV \(DE\)](#)
-  [TÜV \(DE\)](#)
-  [TÜV \(EN\)](#)
-  [Lloyds Register of Shipping \(EN\)](#)
-  [CSA \(EN\)](#)
-  [C-UR \(EN\)](#)

Downloads

Data sheets:

-  [Technical data sheet \(EN\)](#)
-  [Technical details \(EN\)](#)

CAD drawings:

- Request

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP