Rittal - The System.

Faster – better – everywhere.

■ One-piece consoles – TP 6748.500

Date : Mar 18, 2014



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

One-piece consoles - TP 6748.500

created: 18.03.2014 on www.rittal.com/com-en



Product description

Material:

- Enclosure: Sheet steel 1.5 mm
- Door and console cover: Sheet steel, 2.0 mm, all-round foamed-in PU seal
- Mounting plate: Sheet steel 3.0 mm

Surface finish:

- Enclosure, cover and door: Dipcoat-primed, powder-coated on the outside, textured paint
- Mounting plate: Zinc-plated

Colour:

• RAL 7035

Protection category IP to IEC 60 529:

• IP 55 with selection of the appropriate gland plates

Protection category NEMA:

NEMA 12 with selection of the appropriate gland plates

Supply includes:

- · Enclosure, solid back and sides
- Door or double door at front, with locking rod
- Mounting plate
- Cover hinged at rear, 2 stays with automatic locking Automatic unlocking on the left, manual unlocking on the right
- Open base for individual cable entry

Note:

• With the two-door variant, the base opening is divided in two, and two sets of gland plates are required.

1

Packs of:

• 1 pc(s).

EAN:

© Rittal 2013

Product features

Dimensions:

Width: 800 mmHeight: 960 mmDepth (top): 520 mmDepth (bottom): 400 mm

Mounting plate:

Width: 730 mmHeight: 900 mm

Number of doors:

• 1

Approvals

Approvals:

■ UL + C-UL (EN)

Declarations:

- Manufacturer's declaration (EN, DE)
 Declaration of conformity (EN, DE)
- **Downloads**

Data sheets:

• Technical details (EN)

Documentation:

• 🔁 Instructions (EN, DE)

CAD drawings:

Request

Please note that there are the following alternative products:



One-piece consoles Stainless steel

Further information on this product

» www.rittal.com/com-en/One_piece_consoles_Stainless_steel



One-piece consoles Stainless steel

© Rittal 2013

© Rittal 2013

3

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG Postfach 1662 · D-35726 Herborn Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319

E-Mail: info@rittal.com · www.rittal.com

> IT INFRASTRUCTURE

SOFTWARE & SERVICES

