Rittal - The System.

Faster – better – everywhere.

Comfort Panel – CP 6372.541

Date: Mar 18, 2014



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Comfort Panel - CP 6372.541

created: 18.03.2014 on www.rittal.com/com-en



Product description

Benefits:

- Aluminium enclosure, high thermal conductivity for optimum passive heat dissipation.
- Low weight coupled with high stability
- · Compatible with all Rittal stand and support arm systems

Material:

- Enclosure: Extruded aluminium section
- Corner pieces: Die-cast zincCorner protectors: Plastic

Colour:

- Enclosure: Natural anodised.Corner pieces: RAL 7035
- Corner protectors: similar to RAL 7024

Protection category IP to IEC 60 529:

• IP 65

Supply includes:

• Seals and assembly parts for front panels.

Note:

- The support arm connection may be swapped over by rotating the enclosure
- 3 mm double-bit lock insert may be exchanged for 41 mm lock inserts, plastic handles and T handles, type C

Packs of:

• 1 pc(s).

EAN:

• 4028177663060

Product features

© Rittal 2013

Design:

- Support arm connection, rectangular 120 x 65 mm
- Hinged rear panel with screw lock

For the configuration of subracks.:

• To fit front panel width: 520 mm

Installation depth:

• 74 mm

To fit front panels:

with width: 520 mmwith height: 400 mm

Weight:

• 7.8 kg

Approvals

Approvals:

• 🔁 <u>UL + C-UL (EN)</u>

Downloads

Data sheets:

• Technical details (EN)

Documentation:

• 🔁 Instructions (FR, EN, DE)

CAD drawings:

Request

Please note that there are the following alternative products:



Compact Panel



Optipanel

© Rittal 2013 2

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG Postfach 1662 · D-35726 Herborn Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319

E-Mail: info@rittal.com · www.rittal.com

> IT INFRASTRUCTURE

SOFTWARE & SERVICES



>> CLIMATE CONTROL