

Rittal – The System.

Faster – better – everywhere.

► Switch housings Stainless steel – SM 2384.030

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Switch housings Stainless steel – SM 2384.030

created : 18.03.2014 on www.rittal.com/com-en



Product description

Material:

- Enclosure: Stainless steel 1.4301 (AISI 304)
- Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal

Surface finish:

- Enclosure and cover: Brushed, grain 240

Protection category IP to IEC 60 529:

- IP 66

Protection category NEMA:

- NEMA 4X

Supply includes:

- Enclosure with cover
- Quick-release fasteners

Packs of:

- 1 pc(s).

EAN:

- 4028177529434

Customs tariff number:

- 94039010

Product features

Dimensions:

- Width: 220 mm
- Height: 100 mm
- Depth: 90 mm

Pitch pattern:

- 60 mm
-

**No. of switch cut-outs
Ø 22.5 mm:**


- 3
-

**Number of quick-
release fasteners:**

- 4
-

Approvals

Declarations:

-  [Manufacturer's declaration \(EN, DE\)](#)
-

Downloads

Data sheets:

-  [Technical details \(EN\)](#)
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP