

Rittal – The System.

Faster – better – everywhere.

► Compact enclosures AE Stainless steel – AE 1004.600

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Compact enclosures AE Stainless steel – AE 1004.600

created : 18.03.2014 on www.rittal.com/com-en



Product description

Material:

- Enclosure: Stainless steel
- Door: Stainless steel, all-round foamed-in PU seal
- Mounting plate: Sheet steel
- Stainless steel 1.4301 (AISI 304)

Surface finish:

- Enclosure and door: Brushed, grain 240
- Mounting plate: Zinc-plated

Protection category IP to IEC 60 529:

- IP 66

Protection category NEMA:

- NEMA 4X

Supply includes:

- Enclosure with door(s)
- Mounting plate

Packs of:

- 1 pc(s).

EAN:

- 4028177000100

Customs tariff number:

- 94032080

Product features

Dimensions:

- Width: 380 mm

- Height: 300 mm
- Depth: 155 mm

Mounting plate:

- Width: 344 mm
- Height: 275 mm

Number of doors:

- 1

Number of cam locks:










- 1

Weight:



- 7.4 kg

Approvals

Approvals:

-  [Bureau Veritas \(EN\)](#)
-  [UL + C-UL \(EN\)](#)
-  [TÜV \(DE\)](#)
-  [TÜV \(EN\)](#)
-  [Lloyds Register of Shipping \(EN\)](#)
-  [Russian Maritime Register of Shipping \(RU, EN\)](#)
-  [VDE \(EN, DE\)](#)
-  [CSA \(EN\)](#)
-  [Germanischer Lloyd \(EN\)](#)

Declarations:


-  [Manufacturer's declaration \(EN, DE\)](#)
-  [Declaration of conformity \(EN, DE\)](#)

Downloads

Data sheets:

-  [Technical details \(EN\)](#)

Documentation:

-  [Instructions \(EN, DE\)](#)

CAD drawings:

- Request

Please note that there are the following alternative products:



Compact enclosures AE

Further information on this product

» www.rittal.com/com-en/Compact_enclosures_AE



Compact enclosures AE



Compact enclosures AE Stainless steel, IP 69K



Hygienic Design Compact enclosure HD



Ex enclosures Stainless steel, empty enclosure with hinged door



CS wall-mounted enclosures Enclosure-within-an-enclosure

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP