

Rittal – The System.

Faster – better – everywhere.

► One-piece consoles Stainless steel – TP 2684.600

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



One-piece consoles Stainless steel – TP 2684.600

created : 18.03.2014 on www.rittal.com/com-en



Product description

Material:

- Enclosure: Stainless steel 1.4301 (AISI 304), 1.5 mm
- Door or double door and console lid: Stainless steel 1.4301 (AISI 304), 2.0 mm
- Mounting plate: Sheet steel 3.0 mm

Surface finish:

- Enclosure, door, console lid and gland plates: Brushed, grain 120
- Mounting plate: Zinc-plated

Protection category IP to IEC 60 529:

- IP 55

Protection category NEMA:

- NEMA 12

Supply includes:

- Enclosure, solid back and sides
- Door or double door at front, with locking rod
- Console lid with lid stay and cam lock latched in the enclosure
- Locks with double-bit insert
- Gland plates, divided
- Mounting plate

Packs of:

- 1 pc(s).

EAN:

- 4028177031357

Customs tariff number:

- 94032080

Product features

Dimensions:

- Width: 800 mm
- Height: 960 mm
- Depth (top): 480 mm
- Depth (bottom): 400 mm

Mounting plate:

- Width: 730 mm
- Height: 780 mm

Number of doors:








- 1

Weight:

- 65.2 kg

Approvals

Approvals:

-  [UL \(EN\)](#)
-  [TÜV \(DE\)](#)
-  [Lloyds Register of Shipping \(EN\)](#)
-  [Russian Maritime Register of Shipping \(RU, EN\)](#)
-  [VDE \(EN, DE\)](#)
-  [CSA \(EN\)](#)
-  [Germanischer Lloyd \(EN\)](#)

Downloads

Data sheets:

-  [Technical details \(EN\)](#)

Please note that there are the following alternative products:



One-piece consoles

Further information on this product

» www.rittal.com/com-en/One_piece_consoles



One-piece consoles

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP