

Rittal – The System.

Faster – better – everywhere.

Acrylic glazed cover – FT 2780.000

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Acrylic glazed cover – FT 2780.000

created : 17.03.2014 on www.rittal.com/com-en



Product description

Description:

- With security lock, lock no. 3524 E

Material:

- Frame: Extruded aluminium sections with die-cast corner pieces
- Glass panel: Smoked acrylic

Protection category IP to IEC 60 529:

- IP 54

Supply includes:

- Hinges and assembly parts.

Packs of:

- 1 pc(s).

EAN:

- 4028177032217

Customs tariff number:

- 76101000

Product features

Dimensions:

- Width: 320 mm
- Height: 158 mm
- Depth: 47.5 mm

Viewing area:

- Width: 280 mm
- Height: 137.5 mm

Installation dimensions:


- Installation width: 269.2 cm / 106 1/2 19"
 - Installation height: 3 U
-

Build depth for components (max.):

- 43 mm
-

Downloads

Documentation:

-  [Instructions \(EN, DE\)](#)
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP