

Rittal – The System.

Faster – better – everywhere.

Operating panel – FT 2746.000

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Operating panel – FT 2746.000

created : 17.03.2014 on www.rittal.com/com-en



Product description

Description:

- For external mounting on an AE instead of a door and on surfaces. Frame construction with corner connectors on the inside, CR 3 mm aluminium plate secured from the inside and sealed against the frame.

Material:

- Aluminium, natural anodised

Protection category IP to IEC 60 529:

- IP 54

Supply includes:

- Aluminium frame
- Display panel
- Hinges
- Brackets

Packs of:

- 1 pc(s).

EAN:

- 4028177031951

Customs tariff number:

- 76169990

Product features

To fit:

- Width: 600 mm
- Height: 600 mm

Dimensions:

- Width: 597 mm
- Height: 597 mm
- Depth: 34 mm

Dimensions of aluminium plate:


- Width: 543 mm
- Height: 543 mm

Area available for population:

- Width: 527 mm
- Height: 527 mm

Downloads

Documentation:

-  [Instructions \(EN, DE\)](#)

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP