Rittal – The System.

Faster – better – everywhere.

Brush strip, superairtight – DK 7825.375 Date : Mar 17, 2014




ENCLOSURES

POWER DISTRIBUTION >> CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Brush strip, super-airtight – DK 7825.375 created : 17.03.2014 on www.rittal.com/com-en



Product description

Description:	 For individual installation of enclosure panels, gland plates and panels. Cut-outs for cable routing at any position in the side panel, rear panel, doors, roof and base plate. These special brush strips may be used to create airtight entries for cable sections and conductors. The brush strips arranged in an offset configuration ensure good sealing from the routed cables even with large quantities of cables. In this way, unwanted system losses may be reduced to a minimum.
Technical specifications:	 Plastic sheathing: 14 mm Snap-on surface: 11.5 mm Cut-out width: 88 – 90 mm
Material:	Plastic to UL 94-V0
Supply includes:	• 1 brush strip each, 1 m in length, right-hand and left-hand version
Packs of:	• 2 pc(s).
EAN:	• 4028177552784
Customs tariff number:	• 39269097
Product features	
Length:	• 1 m

For metal thicknesses:	• 1.5 mm - 2 mm
Bristle length:	• 58 mm
Downloads	
CAD drawings:	• Request

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG Postfach 1662 · D-35726 Herborn Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319 E-Mail: info@rittal.com · www.rittal.com



POWER DISTRIBUTION 💙 CLIMATE CONTROL



SOFTWARE & SERVICES

IT INFRASTRUCTURE

FRIEDHELM LOH GROUP