

Rittal – The System.

Faster – better – everywhere.

▶ PS punched rails 23 x 23 mm for TS, SE – PS 4178.000

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



PS punched rails 23 x 23 mm for TS, SE – PS 4178.000

created : 17.03.2014 on www.rittal.com/com-en



Product description

Material:

- Sheet steel

Surface finish:

- zinc-plated

Packs of:

- 6 pc(s).

EAN:

- 4028177093287

Customs tariff number:

- 73269098

Product features

To fit:

- Enclosure type: TS 8
- SE 8
- Width: 2200 mm
- Height: 2200 mm
- Depth: 2200 mm

Installation options:

- On the vertical enclosure section: Directly via support brackets TS, via adaptor rail for PS compatibility in conjunction with angle brackets, mounting brackets or support brackets PS
- On the horizontal enclosure section: Directly via angle brackets, mounting brackets or support brackets PS

Length:

- 2095 mm

Downloads

CAD drawings:

- Request
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP