

Rittal – The System.

Faster – better – everywhere.

EMC cable glands – SZ 2843.320

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



EMC cable glands – SZ 2843.320

created : 17.03.2014 on www.rittal.com/com-en



Product description

Description:

- The cable sheathing may optionally be interrupted at the contact point or removed completely inside the enclosure. The cable shield in the enclosure is retained. The supplied lock nut cuts automatically into the paint when screwed down, thus creating a conductive connection.

Protection category IP to IEC 60 529:

- IP 68

Protection category IP to DIN 40 050-9:

- IP 69K

Note:

- Minimum shield diameter = cable diameter less cable sheathing

Packs of:

- 1 pc(s).

EAN:

- 4028177233676

Customs tariff number:

- 73181900

Product features

Design:

- Cable glands, metric


For shield diameter:

- 10 mm

Cable entry:

- Metric diameter: M32
- For cable diameter: 15 mm - 21 mm

Please note that there are the following alternative products:



Cable gland HD

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP