

Rittal – The System.

Faster – better – everywhere.

► Earth rail, vertical for TS – DK 7547.000

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Earth rail, vertical for TS – DK 7547.000

created : 17.03.2014 on www.rittal.com/com-en



Product description

Description:

- Easily fitted to the 25 mm DIN pitch pattern of distributors or to the 482.6 mm (19") mounting angles. The supplied earth conductors facilitate star earthing of the cable clamp straps in the patch panels. The earth terminals are fully adjustable. Current carrying capacity of rail approx. 200 A.

Supply includes:

- Earth rail made from E-Cu 57 to DIN EN 12 163, DIN EN 13 601, 15 x 5 mm
- 16 conductor connection clamps 2.5 – 16 mm²
- 15 earthing leads 6 mm², L = 500 mm
- Assembly parts

Packs of:

- 1 set(s)

EAN:

- 4028177131910

Customs tariff number:

- 74199990

Product features

To fit:

- Enclosure type: TS
- Height: 2000 mm

Length:

- 1745 mm

Downloads

CAD drawings:

- Request
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

