

# Rittal – The System.

Faster – better – everywhere.

## ► Courtesy light – SZ 4139.300

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Courtesy light – SZ 4139.300

created : 17.03.2014 on www.rittal.com/com-en



## Product description

### Supply includes:

- Courtesy light
- Light
- Light cover
- Assembly parts

### Packs of:

- 1 pc(s).

### EAN:

- 4028177092365

### Customs tariff number:

- 94054095

## Product features

### Dimensions:

- Width: 987 mm
- Height: 117 mm
- Depth: 50 mm

### Rated operating voltage:

- 100 V - 240 V, 1~, 50 Hz/60 Hz

### Power consumption:

- 30 W

### Equipment (electrical):

- Ballast: Wide-range electronic ballast
- Light: Fluorescent lamp, base G13
- Protection category: I (protectively earthed)
- Connection options: Power supply via connectors
- Door-operated switch

- Through-wiring (creating rows of lights)
- Jack/socket (type): D, earthing-pin (type F, CEE 7/4)
- Switch (type): Integral, on/off/door-operated switch mode

---

**Light – installation type:**

- Screw-fastening

---

**Light – mounting option:**

- TS roof frame (horizontal section), direct
- TS vertical section, with adaptor bracket
- AE/CM/TP, with universal bracket
- AE, with rail for interior installation

---


**Light cover:**

- yes

---

## Approvals


**Declarations:**

-  [Declaration of conformity \(EN, DE\)](#)

---

## Downloads

**Documentation:**

-  [Instructions \(SE, DE, ES, EN, FR, NL, IT\)](#)

# Rittal – The System.

---

**Faster – better – everywhere.**

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG  
Postfach 1662 · D-35726 Herborn  
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319  
E-Mail: [info@rittal.com](mailto:info@rittal.com) · [www.rittal.com](http://www.rittal.com)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP