

Rittal – The System.

Faster – better – everywhere.

TS punched rail 18 x 38 mm – TS 8612.250

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



TS punched rail 18 x 38 mm – TS 8612.250

created : 17.03.2014 on www.rittal.com/com-en



Product description

Description:

- Simply locate and secure with a screw. The location system makes assembly and dismantling easier. It only needs to be secured on one side, but may be secured on both sides if required.

Material:

- Sheet steel

Supply includes:

- Assembly screws

Note:

- In enclosures with a mounting plate, 2 punched rails are already included with the supply.

Packs of:

- 4 pc(s).

EAN:

- 4028177213098

Customs tariff number:

- 73269098

Product features

To fit:


- Width: 500 mm
- Depth: 500 mm

Installation options:

- On base configuration rail for CM

Downloads

Data sheets:

-  [Technical details \(EN\)](#)
-

CAD drawings:

- [Request](#)
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP