

Rittal – The System.

Faster – better – everywhere.

Connection adaptors – SV 9342.320

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Connection adaptors – SV 9342.320

created : 18.03.2014 on www.rittal.com/com-en



Product description

Material:

- Cover: ABS
- Chassis: Polyamide (PA 6.6)
- Chassis 3439.010: Fibreglass-reinforced, thermoplastic polyester (PBT)
- Fire protection corresponding to UL 94-V0
- Chassis: Polyamide (PA 6.6)

Colour:

- RAL 7035

Note:

- The technical data may vary for UL applications
- UL approval only applies in conjunction with AC application
- The rated operating voltage for DC applications depends on the busbar arrangement in the busbar support 9340.050/9341.050/9342.050.

Packs of:

- 1 set(s)

EAN:

- 4028177525689

Customs tariff number:

- 85369010




Product features

To fit busbars:

- Cross-section (thickness): 5 mm
- 10 mm

Number of poles:

- 3-pole

For bar systems with centre-to-centre spacing:	<ul style="list-style-type: none">• 60 mm
Dimensions:	<ul style="list-style-type: none">• Width: 255 mm• Height: 210 mm
Rated operating voltage:	<ul style="list-style-type: none">• 690 V, 3~
Clamping area for laminated copper bars:	<ul style="list-style-type: none">• Width for busbar thickness 5 mm: 65 mm• Height with busbar thickness 5 mm: 27 mm• Width for busbar thickness 10 mm: 65 mm• Height with busbar thickness 10 mm: 22 mm
Rated current (max.):	<ul style="list-style-type: none">• 1600 A
Cable outlet:	<ul style="list-style-type: none">• Top/bottom
Approvals	
Approvals:	<ul style="list-style-type: none">•  UR + C-UR (EN)•  C-UL (EN)
Downloads	
Data sheets:	<ul style="list-style-type: none">•  Technical details (EN)
CAD drawings:	<ul style="list-style-type: none">• Request

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP