

Rittal – The System.

Faster – better – everywhere.

▶ OM adaptors with connection cables – SV 9340.410

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



OM adaptors with connection cables – SV 9340.410

created : 18.03.2014 on www.rittal.com/com-en



Product description

Material:

- Polyamide (PA 6.6)
- Fire protection corresponding to UL 94-V0

Colour:

- Chassis: RAL 7035

Note:

- The technical data may vary for UL applications

Note on model no.:

- According to a heat dissipation test to IEC 60 439-1, a current carrying capacity of up to 80 A is supported.

Packs of:

- 1 pc(s).

EAN:

- 4028177502536

Customs tariff number:

- 85369085

Product features

To fit busbars:

- Cross-section (thickness): 5 mm
- 10 mm

Number of poles:

- 3-pole

For bar systems with centre-to-centre spacing:

- 60 mm

Dimensions:

- Width: 55 mm
- Height: 208 mm

Rated operating voltage:

- 690 V, 3~

Connection cable:

- Cross-section: AWG 6
- Length: 130 mm

Rated current (max.):

- 65 A

Number of support rails, height 10 mm:

- 1

Number of support rails, height 15 mm:




- 10 mm

Support rail type:

- TS 55E

Approvals

Approvals:

-  [Germanischer Lloyd \(EN\)](#)
-  [UR + C-UR \(EN\)](#)
-  [C-UL \(EN\)](#)

Downloads

Data sheets:

-  [Technical details \(EN\)](#)

CAD drawings:

- Request

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP