

# Rittal – The System.

Faster – better – everywhere.

## ▶ NH fuse-switch- disconnectors, size 00 to 3 – SV 9343.110

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# NH fuse-switch-disconnectors, size 00 to 3 – SV 9343.110

created : 18.03.2014 on www.rittal.com/com-en



## Product description

### Material:

- Polyamide (PA 6)
- Fire protection corresponding to UL 94-V0
- Contact tracks: Electrolytic copper, silver-plated

### Colour:

- Chassis: RAL 7035
- Cover: RAL 7035/7001

### Basis of test:

- IEC/DIN EN 60 947-3
- DIN EN 60 269-2 (fuse inserts)

### Note:

- The technical data may vary for RU applications. Applications to RU only in conjunction with "Special Purpose Fuses".

### Packs of:

- 1 pc(s).

### EAN:

- 4028177540330

### Customs tariff number:

- 85365080

## Product features

### Design:

- 1

### To fit busbars:

- Cross-section (thickness): 5 mm

- 10 mm

**Number of poles:**

- 3-pole

**For bar systems with centre-to-centre spacing:**

- 60 mm

**Dimensions:**

- Width: 184 mm
- Height: 298 mm

**Type of electrical connection:**

- Screw M10

**Rated operating voltage:**

- 690 V, 3~

**Clamping area for laminated copper bars:**

- Width: 32 mm
- Height: 10 mm

**Clamping area for round conductor cross-sections:**

- 10 mm<sup>2</sup> - 150 mm<sup>2</sup>
- fine wire with wire end ferrule: 10 mm<sup>2</sup> - 150 mm<sup>2</sup>
- Solid: 10 mm<sup>2</sup> - 150 mm<sup>2</sup>

**Rated operating current max.:**



- 250 A

**Cable outlet:**


- Top/bottom

## Approvals

**Approvals:**

-  [C-UR \(EN\)](#)
-  [UR \(EN\)](#)

**Declarations:**


-  [Declaration of conformity \(EN, DE\)](#)

## Downloads

**Data sheets:**

-  [Technical details \(EN\)](#)

**Documentation:**

-  [Instructions \(FR, IT, DE, EN\)](#)

**CAD drawings:**

- Request

# Rittal – The System.

---

**Faster – better – everywhere.**

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG  
Postfach 1662 · D-35726 Herborn  
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319  
E-Mail: [info@rittal.com](mailto:info@rittal.com) · [www.rittal.com](http://www.rittal.com)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP