

# Rittal – The System.

Faster – better – everywhere.

## Fuse holder 30 A to 60 A – SV 9345.000

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Fuse holder 30 A to 60 A – SV 9345.000

created : 18.03.2014 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

### Material:

- Polyamide (PA 6)
- Fire protection corresponding to UL 94-V0

### Colour:

- RAL 7035

### Approvals:

- UL 512, CSA C22.2 No.39

### Note:

- For snap-on mounting on 35 mm (7.5 mm/15 mm high) support rails to DIN EN 60 715 or RiLine component adaptor combinations (OM adaptors/supports)

### Packs of:

- 4 pc(s).

### EAN:

- 4028177600942

### Customs tariff number:

- 85365080

## Product features

### Number of poles:

- 3-pole

### Dimensions:

- Width: 52.5 mm
- Height: 78 mm
- Depth: 59 mm

---

**Rated operating voltage:**

- 600 V, 3~
- 

**Clamping area for round conductor cross-sections:**

- 2.5 mm<sup>2</sup> - 10 mm<sup>2</sup>
  - fine wire with wire end ferrule: 2.5 mm<sup>2</sup> - 10 mm<sup>2</sup>
  - Solid: 2.5 mm<sup>2</sup> - 10 mm<sup>2</sup>
  - AWG 6 – AWG 14
- 

**Rated operating current max.:**

- 30 A
- 

**To fit fuses:**

- Fuse type (class): CC
  - Fuse standard: UL 4248-4
  - Ø x length: 10 mm x 38 mm
- 

## Approvals

**Approvals:**

-  [UL \(EN\)](#)

## Downloads

**Data sheets:**

-  [Technical details \(EN\)](#)
-

# Rittal – The System.

---

**Faster – better – everywhere.**

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG  
Postfach 1662 · D-35726 Herborn  
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319  
E-Mail: [info@rittal.com](mailto:info@rittal.com) · [www.rittal.com](http://www.rittal.com)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP