

# Rittal – The System.

Faster – better – everywhere.

## Laminated copper bars – SV 3570.005

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Laminated copper bars – SV 3570.005

created : 18.03.2014 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

### Material:

- Cu lamina High-purity electrolyte copper F20
- Insulation: High-strength vinyl compound, expansion 370%, dielectric strength: 20 kV/mm
- Fire protection corresponding to UL 94-V0

### Packs of:

- 1 pc(s).

### EAN:

- 4028177666764

### Customs tariff number:

- 85446010

## Product features

### Dimensions:

- Length: 2000 mm

### Version – laminated flat copper:

- Number of lamina: 5
- Membrane width: 20 mm
- Membrane thickness: 1 mm

### Operating temperature:

- -30°C...+105°C


### Rated current for temperature increase by:

- 70 K: 525 A
- 50 K: 435 A
- 30 K: 330 A

## Downloads

---

### Characteristic curves:

-  [Short-circuit resistance diagram \(EN\)](#)
- 

### CAD drawings:

- Request
-

# Rittal – The System.

---

**Faster – better – everywhere.**

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG  
Postfach 1662 · D-35726 Herborn  
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319  
E-Mail: [info@rittal.com](mailto:info@rittal.com) · [www.rittal.com](http://www.rittal.com)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP