

# Rittal – The System.

Faster – better – everywhere.

## ► Tangential fans for 482.6 mm (19") Air throughput 320 m<sup>3</sup>/h – **SK 3144.000**

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Tangential fans for 482.6 mm (19") Air throughput 320 m<sup>3</sup>/h – SK 3144.000

created : 18.03.2014 on www.rittal.com/com-en



## Product description

### Supply includes:

- Fully wired unit ready for connection
- Filter mat

### Packs of:

- 1 pc(s).

### EAN:

- 4028177037137

### Customs tariff number:

- 84145100

## Product features

### Air throughput (unimpeded air flow):

- 320 m<sup>3</sup>/h

### Rated operating voltage:

- 230 V, 1~, 50 Hz/60 Hz

### Dimensions:

- Width: 482.6 mm / 19"
- Height: 88 mm
- Depth: 158 mm

### Temperature range:

- Operation (environment): -10°C...+55°C

### Power consumption Pel:

- At 50 Hz: 37 W

**Rated current (max.):**

- At 50 Hz: 0.16 A

**Noise level:**

- At 50 Hz: 52 dB(A)

**Maximum static pressure difference:**


- 65 Pa - 70 Pa

**Speed:**


- 2245 rpm

## Approvals

**Approvals:**




-  [Approval overview \(EN\)](#)

**Declarations:**

-  [Declaration of conformity \(EN, DE\)](#)

## Downloads

**Data sheets:**

-  [Technical details \(EN\)](#)
-  [Technical system catalogue \(DE\)](#)
-  [Performance diagrams \(DE\)](#)

# Rittal – The System.

---

**Faster – better – everywhere.**

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG  
Postfach 1662 · D-35726 Herborn  
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319  
E-Mail: [info@rittal.com](mailto:info@rittal.com) · [www.rittal.com](http://www.rittal.com)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP