

Rittal – The System.

Faster – better – everywhere.

Enclosure internal fan for TS 8 – SK 3108.100

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Enclosure internal fan for TS 8 – SK 3108.100

created : 18.03.2014 on www.rittal.com/com-en



Product description

Description:

- To prevent hot-spots and support the air routing of active enclosure climate control components. Adjustable in two axes. Attached to the TS 8 frame section. Several fans may be cascaded using the quick-release clamping strip.

Supply includes:

- Complete unit with radial fan ready for connection
- Snap-on pivot device
- Assembly parts

Packs of:

- 1 pc(s).

EAN:

- 4028177220485

Customs tariff number:

- 84145100

Product features

Air throughput (unimpeded air flow):

- 160 m³/h

Rated operating voltage:

- 230 V, 1~, 50 Hz/60 Hz

Power consumption Pel:

- At 50 Hz: 19 W
- At 60 Hz: 18 W


Rated current (max.):

- At 50 Hz: 0.12 A

- At 60 Hz: 0.11 A



Approvals

Approvals:


-  [Approval overview \(EN\)](#)

Downloads

Data sheets:

-  [Technical details \(EN\)](#)
-  [Technical system catalogue \(DE\)](#)

Documentation:

-  [Instructions \(FR, EN, DE\)](#)

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP