

Rittal – The System.

Faster – better – everywhere.

► Air duct system for roof-mounted cooling units and air/water heat exchangers – SK 3286.870

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Air duct system for roof-mounted cooling units and air/water heat exchangers – SK 3286.870

created : 18.03.2014 on www.rittal.com/com-en



Product description

Description:

- It is possible to route the cold air directly to specific areas of the enclosure using the air duct system. The risk of short circuits in the air circulation due to self-ventilated installed devices is therefore eliminated. CR The dimensions of the shallow duct are W x H x D 229 x 1500 x 29 mm, and can be shortened to the required length.

Material:

- Flame-resistant plastic to DIN 4102/B1

Supply includes:

- Shallow duct
- Compensating hose

Note:

- Do not direct cold air straight at active components. When using the ducting system, the performance of the cooling unit may be reduced, depending on the application in question.

Packs of:

- 1 pc(s).

EAN:


- 4028177325449

Customs tariff number:

- 39269097

Downloads

Data sheets:

-  [Technical system catalogue \(DE\)](#)

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP