

Rittal – The System.

Faster – better – everywhere.

► Enclosure internal thermostat – SK 3110.000

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Enclosure internal thermostat – SK 3110.000

created : 17.03.2014 on www.rittal.com/com-en



Product description

Description:

- Especially suitable for controlling fan-and-filter units, heaters and heat exchangers, this thermostat can also be used as a signal generator for monitoring the enclosure internal temperature.

Technical specifications:

- Bi-metal controller as a temperature-sensitive element with thermal feedback.
- Contact population: Single-pole change-over contact as a quick-break contact.
- Permissible contact load: Kl. 5 – 3 (heating) AC 10 (4) 1) A, DC = max. 30 W Cat. 5 – 4 (cooling) AC 5 (4) 1) A, DC = max. 30 W (1) = inductive load at $\cos j = 0.6$
- Switching difference: approx. $1\text{ K} \pm 0.8\text{ K}$
- Time-saving connection technique using a terminal strip with a screw connection from the outside.
- Flexible mounting on a vertical or horizontal 35 mm support rail to EN 50 022, and snap fastening in the TS/SE enclosure section or on the mounting plate using the supplied adaptor

Packs of:

- 1 pc(s).

EAN:

- 4028177036598

Customs tariff number:

- 90321089

Product features

Dimensions:

- Width: 71 mm
- Height: 71 mm
- Depth: 33.5 mm




Temperature range:

- Setting range: $+5^{\circ}\text{C} \dots +60^{\circ}\text{C}$


Weight:

- 105 g


Approvals**Approvals:**

-  [C-UL \(EN\)](#)
-  [UL \(EN\)](#)
-  [VDE \(EN, DE\)](#)


Declarations:

-  [Declaration of conformity \(EN, DE\)](#)

Downloads**Data sheets:**

-  [Technical system catalogue \(DE\)](#)

Documentation:

-  [Instructions \(SE, DE, ES, EN, FR, NL, IT\)](#)
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP