

Rittal – The System.

Faster – better – everywhere.

Speed control – SK 3120.200

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Speed control – SK 3120.200

created : 18.03.2014 on www.rittal.com/com-en



Product description

Description:

- Temperature-dependent speed control for TopTherm fan-and-filter units and air/air heat exchangers for noise reduction and to save energy in part-load operation.

Technical specifications:

- For mounting on a 35 mm support rail DIN EN 50 022
- Phase cross-over with microcontroller
- Maximum fan output 300 W or 2 A

Supply includes:

- Speed control
- NTC sensor, length 1.80 m.

Note:

- Only suitable for use with 1-phase AC motors and equipment.

Packs of:

- 1 pc(s).

EAN:

- 4028177631441

Customs tariff number:

- 90291000

Product features

Dimensions:

- Width: 105 mm
- Height: 90.5 mm
- Depth: 60.2 mm

Temperature range:


- Setting range: +20°C...+55°C

Speed:

- 100 %


Approvals

Declarations:


-  [Declaration of conformity \(EN, DE\)](#)

Downloads

Data sheets:

-  [Technical system catalogue \(DE\)](#)

Documentation:

-  [Instructions \(SE, ES, DE, EN, FR, NL, IT, JP\)](#)
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP