

Rittal – The System.

Faster – better – everywhere.

▶ Socket strips in an aluminium duct – DK 7240.330

Date : Mar 18, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Socket strips in an aluminium duct – DK 7240.330

created : 18.03.2014 on www.rittal.com/com-en



Product description

Benefits:

- Practical, universal fastening
- Providing flexibility and saving on warehousing.
- In the the 482.6 mm (19") section there is adequate space to route the infeed between the socket strip and the mounting angle without kinks
- The arrangement of the earthing-pin sockets at a 45° angle allows unrestricted use of angular connectors.

Material:

- Aluminium section, natural anodised
- Socket inserts: Polycarbonate

Standards:

- DIN 49 440-1
- Overvoltage protection for low voltage: DIN EN 61 643-11 (VDE 0675 Part 6-11)

Supply includes:

- Socket strip
- Two mounting brackets
- Assembly parts

Packs of:

- 1 pc(s).

EAN:

- 4028177221246

Customs tariff number:

- 85369085

Product features

Design:

- With overvoltage protection and interference suppression filter

Dimensions:	<ul style="list-style-type: none"> • Height: 44 mm • Depth: 44 mm
Installation options:	<ul style="list-style-type: none"> • Components with a 25 mm pitch pattern • Enclosure frame
Length:	<ul style="list-style-type: none"> • 658.6 mm
Mounting dimensions:	<ul style="list-style-type: none"> • 628.5 mm • Tolerance: 25 mm
Rated voltage:	<ul style="list-style-type: none"> • 250 V AC
Rated current (max.):	<ul style="list-style-type: none"> • 16 A
Equipment (electrical):	<ul style="list-style-type: none"> • Number of sockets: 9 • Jack/socket (type): D, earthing-pin (type F, CEE7/3) • Length of connection cable: 2 m
Connection cable (type):	<ul style="list-style-type: none"> • H05VV-F3G1.5

Approvals

Approvals:	<ul style="list-style-type: none"> •  VDE (EN, DE)
-------------------	--

Declarations:	<ul style="list-style-type: none"> •  Declaration of conformity (EN, DE)
----------------------	--

Downloads

Data sheets:	<ul style="list-style-type: none"> •  Technical details (EN)
---------------------	--

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP