

Rittal – The System.

Faster – better – everywhere.

► Perforated mounting strip for partial doors – SV 9671.206

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Perforated mounting strip for partial doors – SV 9671.206

created : 17.03.2014 on www.rittal.com/com-en



Product description

Description:

- For retrospective external mounting on SV partial doors. The perforated mounting strips have a 25 mm pitch pattern of holes and may be used for individual mountings on the rear of the door, e.g. cable ducts, hose holders etc. Hole diameter of perforated mounting strip: 4.5 mm

Material:

- Sheet steel, 1 mm

Surface finish:

- zinc-plated

Supply includes:

- Assembly parts

Packs of:

- 10 pc(s).

EAN:

- 4028177619623

Customs tariff number:

- 39269097

Product features

To fit:

- Width: 600 mm

Length:

- 498 mm

To fit partial door

height:

- 150 mm - 800 mm
-

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP