

# Rittal – The System.

Faster – better – everywhere.

## ► Ex enclosures Plastic, empty enclosure with hinged door – KEL 9207.600

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Ex enclosures Plastic, empty enclosure with hinged door – KEL 9207.600

created : 17.03.2014 on www.rittal.com/com-en



## Product description

### Applications:

- Zone 1 and 2 or 21 and 22 to 94/9/EC
- Ambient temperature range: -30°C...+80°C
- Protection type to EN 60 079: Equipment protection due to increased safety, equipment protection due to enclosure

### Material:

- Fibre-glass-reinforced unsaturated polyester, surface resistance:  $< 10^9 \Omega$
- Door: Fibre-glass-reinforced unsaturated polyester, surface resistance:  $< 10^9 \Omega$  all-round foamed-in silicone seal
- Mounting plate: Sheet steel, zinc-plated

### Colour:

- RAL 9011

### Protection category IP to IEC 60 529:

- IP 66

### Certificates:

- IEC Ex PTB 10.0011U: yes
- PTB 03 ATEX 1011U: yes

### Supply includes:

- Enclosure
- Door
- Mounting plate

### Packs of:

- 1 pc(s).

### EAN:

- 4028177138391

### Customs tariff

number: • 94037000

## Product features

### Dimensions:

- Width: 500 mm
- Height: 500 mm
- Depth: 300 mm

### Mounting plate:

- Width: 417 mm
- Height: 450 mm

### Number of cam locks:




- 2

### Weight:


- 12.9 kg

## Approvals

### Certificates:

-  [Certificates \(EN\)](#)
-  [Ex \(DE\)](#)
-  [Ex \(EN\)](#)

### Declarations:

-  [Manufacturer's declaration \(EN, DE\)](#)

## Downloads

### Data sheets:

-  [Technical details \(EN\)](#)

### Documentation:

-  [Instructions \(DE\)](#)

Please note that there are the following alternative products:



### Plastic enclosures KS

Weitere Informationen zu diesem Produkt

[» www.rittal.com/com-en/Plastic\\_enclosures\\_KS](http://www.rittal.com/com-en/Plastic_enclosures_KS)



Plastic enclosures KS



# Rittal – The System.

---

**Faster – better – everywhere.**

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG  
Postfach 1662 · D-35726 Herborn  
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319  
E-Mail: [info@rittal.com](mailto:info@rittal.com) · [www.rittal.com](http://www.rittal.com)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP