

Rittal – The System.

Faster – better – everywhere.

► Compact enclosures AE Sheet steel, IP 69K – AE 1101.030

Date : Mar 17, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Compact enclosures AE Sheet steel, IP 69K – AE 1101.030

created : 17.03.2014 on www.rittal.com/com-en

Discontinued product



Product description

Description:

- Perfect protection for tough environments. CR The AE compact enclosure in IP 69K is the ideal solution when a high protection category and corrosion resistance are required. CR Resistant to high-pressure cleaning (protection category IP 69K). The interior seal is protected against direct water jets. CR Ideal for mounting on vehicles: Lock, hinges and mounting plate are all vibration resistant. The enclosure and door have an aluminium zinc coating for a high level of corrosion protection. Foamed-in silicone seal, water-impermeable, with high resistance to temperature and chemicals. Designed to accommodate AE door stay 1101.800 and the interior door. Designed for wall-mounting using M8 nuts directly from the rear. CR

Material:

- Enclosure: Sheet steel
- Door: Sheet steel, all-round foamed-in silicone seal

Surface finish:

- Enclosure and door: Aluminium zinc coating, powder-coated, textured paint
- Mounting plate: Zinc-plated

Colour:

- RAL 7035

Protection category IP to DIN 40 050-9:

- IP 69K

Supply includes:

- Enclosure with hinged door, of all-round solid construction
- Door hinge may be swapped to opposite side by rotating the enclosure,
- Cam lock with 3 mm double-bit insert

Packs of:

- 1 pc(s).

EAN:

- 4028177405448

Customs tariff number:

- 94032080

Product features

Dimensions:

- Width: 400 mm
- Height: 650 mm
- Depth: 250 mm

Mounting plate:

- Width: 334 mm
- Height: 570 mm

Number of doors:

- 1

Number of cam locks:

- 2

Weight:

- 20 kg

Approvals

Declarations:

-  [Manufacturer's declaration \(EN\)](#)

Downloads

Data sheets:

-  [Technical data sheet \(EN\)](#)

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power distribution
- Climate Control
- IT Infrastructure
- Software & services

Rittal GmbH & Co. KG
Postfach 1662 · D-35726 Herborn
Phone: +49 (0) 2772 505-0 · Fax: +49 (0) 2772 505-2319
E-Mail: info@rittal.com · www.rittal.com

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP