



## Main

Product or component type	Braking resistor
Range compatibility	Altivar 61 Altivar 71 Altivar 61Q Altivar 71Q
Product compatibility	ATV61HC16Y ATV61HC20Y ATV71HC13Y ATV71HC16Y ATV71HD11M3X ATV71HD15M3X ATV71HD37N4 ATV71HD37Y ATV71HD45N4 ATV71HD45Y ATV71HD55N4 ATV71HD55Y ATV71WD37N4 ATV71WD45N4 ATV71WD55N4 ATV71QC13Y ATV61QC16Y ATV71QC16Y ATV61QC20Y
Average power available	44 kW at 50 °C
Ohmic value	8.1 Ohm

## Complementary

Electrical connection	Bar wire with M10 screw
Protection type	Thermal protection via thermal overload relay
Product weight	92 kg

## Environment

Ambient air temperature for operation	0...50 °C
Ambient air temperature for storage	-25...75 °C
IP degree of protection	IP23

The information provided in this documentation contains general descriptions and/or technical characteristics of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.