



Photoelectric sensors
V180, Photoelectric proximity sensor, energetic

VT180-N410

Model Name > [VT180-N410](#)
Part No. > [6008790](#)

At a glance

- Sensing distance up to 110 mm or 400 mm
- Compact M18 metal housing
- M12 cable or 2 m cable
- Light/dark switching via control cable
- 90° deflector head accessory

Your benefits

- Compact M18 housing saves space on the machine
- Compatible with many competitor models, making it easy to install and commission
- Clearly visible LED indicators reduce setup time and simplify troubleshooting

The product has been discontinued. Please follow the "replacement product" link for information about alternative products.



Features

Sensor/detection principle:	Photoelectric proximity sensor, energetic
Housing design (light emission):	Cylindrical, straight
Housing length:	69 mm
Thread diameter (housing):	M18 x 1
Optical axis:	Axial
Sensing range max.:	0 mm ... 130 mm ¹⁾
Sensing range:	0 mm ... 110 mm ²⁾
Type of light:	Infrared light
Light source:	LED ³⁾
Wave length:	920 nm
Adjustment:	Potentiometer, 270°
Light spot size (distance):	65 mm (110 mm)

¹⁾ Object with 90 % reflectance (referred to standard white DIN 5033) ²⁾ With right-angle adapter, the sensing range is reduced from 110 mm to 100 mm ³⁾ Average service life of 100,000 h at T_A = +25 °C

Mechanics/electronics

Supply voltage: 10 V DC ... 30 V DC ¹⁾

Ripple:	± 5 Vpp
Power consumption:	30 ²⁾
Output type:	NPN, open collector ³⁾
Switching mode:	Light/dark-switching ⁴⁾
Switching mode selector:	Selectable via L/D control wire
Signal voltage NPN HIGH/LOW:	Approx. VS / < 1.0 V
Output current I _{max} :	≤ 100 mA
Response time:	≤ 1.5 ms ⁵⁾
Switching frequency:	333 Hz ⁶⁾
Connection type:	Connector M12, 4-pin
Circuit protection:::	A, C, D ^{7) 8) 9)}
Protection class:	III
Weight:	65 g
Special device:	-
Housing material:	Nickel-plated brass, PBT/PC, Metal
Optics material:	PMMA
Enclosure rating:	IP 66
Items supplied:	Fastening nuts (2 x)
Ambient operating temperature:	-25 °C ... 55 °C
Ambient storage temperature:	-40 °C ... 70 °C
UL File No.:	NRNT2.E128350 & NRNT8.E128350

1) Limit values 2) Without load 3) 4) Control wire open: light-switching L.ON 5) Signal transit time with resistive load 6) With light/dark ratio 1:1 7) A = V_S connections
reverse-polarity protected 8) C = interference suppression 9) D = outputs overcurrent and short-circuit protected

Australia

Phone +61 3 9457 0600
1800 334 802 – tollfree
E-Mail sales@sick.com.au

Belgium/Luxembourg

Phone +32 (0)2 466 55 66
E-Mail info@sick.be

Brasil

Phone +55 11 3215-4900
E-Mail sac@sick.com.br

Canada

Phone +1 905 771 14 44
E-Mail information@sick.com

Ceská Republika

Phone +420 2 57 91 18 50
E-Mail sick@sick.cz

China

Phone +86 4000 121 000
E-Mail info.china@sick.net.cn
Phone +852-2153 6300
E-Mail ghk@sick.com.hk

Danmark

Phone +45 45 82 64 00
E-Mail sick@sick.dk

Deutschland

Phone +49 211 5301-301
E-Mail kundenservice@sick.de

España

Phone +34 93 480 31 00
E-Mail info@sick.es

France

Phone +33 1 64 62 35 00
E-Mail info@sick.fr

Great Britain

Phone +44 (0)1727 831121
E-Mail info@sick.co.uk

India

Phone +91-22-4033 8333
E-Mail info@sick-india.com

Israel

Phone +972-4-6801000
E-Mail info@sick-sensors.com

Italia

Phone +39 02 27 43 41
E-Mail info@sick.it

Japan

Phone +81 (0)3 3358 1341
E-Mail support@sick.jp

Magyarország

Phone +36 1 371 2680
E-Mail office@sick.hu

Nederlands

Phone +31 (0)30 229 25 44
E-Mail info@sick.nl

Norge

Phone +47 67 81 50 00
E-Mail austefjord@sick.no

Österreich

Phone +43 (0)22 36 62 28 8-0
E-Mail office@sick.at

Polska

Phone +48 22 837 40 50
E-Mail info@sick.pl

România

Phone +40 356 171 120
E-Mail office@sick.ro

Russia

Phone +7-495-775-05-30
E-Mail info@sick.ru

Schweiz

Phone +41 41 619 29 39
E-Mail contact@sick.ch

Singapore

Phone +65 6744 3732
E-Mail admin@sicksgp.com.sg

Slovenija

Phone +386 (0)1-47 69 990
E-Mail office@sick.si

South Africa

Phone +27 11 472 3733
E-Mail info@sickautomation.co.za

South Korea

Phone +82 2 786 6321/4
E-Mail info@sickkorea.net

Suomi

Phone +358-9-25 15 800
E-Mail sick@sick.fi

Sverige

Phone +46 10 110 10 00
E-Mail info@sick.se

Taiwan

Phone +886-2-2375-6288
E-Mail sales@sick.com.tw

Türkiye

Phone +90 (216) 528 50 00
E-Mail info@sick.com.tr

United Arab Emirates

Phone +971 (0) 4 8865 878
E-Mail info@sick.ae

USA/México

Phone +1(952) 941-6780
1 800-325-7425 – tollfree
E-Mail info@sickusa.com

More representatives and agencies
at www.sick.com