

# EGO04 COOLING UNITS FOR DOOR OR WALL MOUNTING

Characteristics	M.U.	EGO04BT1B	EGO04CT1B
Cooling capacity EN814 - A35A35	W	380	380
Cooling capacity EN814 - A35A50	W	240	240
Power supply	V ~ Hz	230 1~ 50-60	115 1~ 50-60
Width	mm	285	285
Height	mm	460	460
Depth	mm	180	180+35**
Max. current	A	1,6	3,2
Inrush current	A	6	11
Fuse T	A	4	6
Absorbed electric power EN814 - A35A35	W	280	290
Absorbed electric power EN814 - A35A50	W	330	340
Duty cycle	-	100%	100%
Electrical connection	-	4 pole plug	4 pole plug
Refrigerant R134a	Kg	0,11	0,11
Cooling circuit max. pressure	bar	26	26
External fan air flow	m <sup>3</sup> /h	280	280
Enclosure fan air flow	m <sup>3</sup> /h	280	280
Internal temperature range	°C	20-46	20-46
Temperature setting	-	Electronic thermostat factory set at 35°C	
External temperature range	°C	20-55*	20-50
Protection level EN60529 - enclosure side	-	IP54	IP54
Protection level EN60529 - ambient side	-	IP34	IP34
Noise level	dB (A)	60	60
Weight	Kg	17	18
Conformity	-	CE	CE
Colour	-	RAL 7035 orange peel effect	


\* 50 °C at 60 Hz

\*\* Depth increases due to the external mounting of the autotransformer


Accessories/Options	
Pack of 5 cloth air filters	AAEFP04
Pack of 1 metal air filter	AAEFM04
Semi-recessed assembly structure	
Stainless steel version	
Special paint on request	



## Dimensions



## Performances



P = Cooling capacity (W)  
 Ta = Ambient temperature (°C)  
 Ti = Inside enclosure temperature (°C)