

PZ 6/5 ZERT**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

General ordering data

Type	PZ 6/5 ZERT
Order No.	9017900000
Version	Crimping tool for wire-end ferrules, 0.25mm ² , 6mm ² , Trapezoidal indentation crimp
GTIN (EAN)	4032248178537
Qty.	1 pc(s).

PZ 6/5 ZERT

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technische Daten

Dimensions and weights

Length	200 mm	Weight	423 g
Net weight	380 g		

Contact description

Type of contact	Wire-end ferrules with/ without plastic collars	Crimping range, min.	0.25 mm ²
Crimping range, max.	6 mm ²		

Tool data - crimping

Crimping profile 1, min.	0.25 mm ²	Crimping typerofile	Trapezoidal indentation crimp
Crimping profile 1, max.	0.5 mm ²	Crimping profile 2, min.	0.75 mm ²
Crimping profile 2, max.	1.5 mm ²	Crimping profile 3, min.	2.5 mm ²

Classifications

ETIM 3.0	EC000005	UNSPSC	31-16-31-02
eClass 5.1	27-40-02-01	eClass 6.2	21-04-38-90
eClass 7.1	27-40-02-01		

Product information

Descriptive text ordering data	Additional accessories can be found in Chapter J
Descriptive text accessories	Information and ordering data for wire-end ferrules - see Chapter J Accessories wire-end ferrules

Approvals

ROHS	Conform
------	---------

Datenblatt

PZ 6/5 ZERT

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Zeichnungen

