

**Crimping tool  
PZ 6/5**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

Type	PZ 6/5
Order No.	<a href="#">9011460000</a>
Version	Crimping tool, Crimping tool for wire-end ferrules, 0.25mm <sup>2</sup> , 6mm <sup>2</sup> , Trapezoidal indentation crimp
GTIN (EAN)	4008190165352
Qty.	1 pc(s).

**Datenblatt**

**Crimping tool  
PZ 6/5**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technische Daten**

**Dimensions and weights**

Length	200 mm	Weight	423 g
Net weight	388.2 g		

**Technical data**

Version	Mechanical, without interchangeable inserts
---------	---

**Contact description**

Type of contact	Wire-end ferrules with/without plastic collars	Crimping range, min.	0.25 mm <sup>2</sup>
Crimping range, max.	6 mm <sup>2</sup>		

**Tool data - crimping**

Crimping profile 1, min.	0.25 mm <sup>2</sup>	Crimping typerofile	Trapezoidal indentation crimp
Wire end ferrules cross-section, min.	0.25 mm <sup>2</sup>	Crimping profile 1, max.	0.5 mm <sup>2</sup>
Wire end ferrules cross-section, max.	6 mm <sup>2</sup>	Crimping profile 2, min.	0.75 mm <sup>2</sup>
Crimping profile 2, max.	1.5 mm <sup>2</sup>	Crimping profile 3, min.	2.5 mm <sup>2</sup>


**Classifications**

ETIM 3.0	EC000005	UNSPSC	31-16-31-02
eClass 5.1	27-40-02-01	eClass 6.2	21-04-38-90
eClass 7.1	27-40-02-01		

**Product information**

Descriptive text ordering data	Additional accessories can be found in Chapter J
Descriptive text accessories	Information and ordering data for wire end ferrules - see chapter J accessories wire end ferrules

**Approvals**

Approvals	
ROHS	Conform

**Datenblatt**

**Crimping tool  
PZ 6/5**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Zeichnungen**

