

**Passeinsatz für Einsätze E14 4 A
MASTER CHECK**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The main function of the voltage tester is to establish if voltage is present. A 2-pole voltage tester is the only approved testing instrument that fulfils the requirements of work protection regulations.

- with LED-Display
- acc. to VDE standard
- high peak voltage strength
- the right tester for every application

General ordering data

Type	MASTER CHECK
Order No.	9918880000
Version	2-pole voltage tester type 1157, *UNDEFINED TEXT*
GTIN (EAN)	4032248405763
Qty.	1 pc(s).

**Passeinsatz für Einsätze E14 4 A
MASTER CHECK**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technische Daten

Dimensions and weights

Weight	290 g	Net weight	290 g
--------	-------	------------	-------

Product data

Rated voltage, min.	6 V	AC voltage measuring range	6-400 V
Frequency range, min.	0 Hz	Frequency range, max.	100 Hz
Rated voltage, max.	400 V AC/DC	Protection degree	IP 65
Battery type	1.5 V type AAA battery	Tested and approved according to	EN/IEC 61243-3 (VDE 0682 Part 401)
Peak voltage resistance	8 kV	Display	LED
DC voltage display	6, 12, 24, 50, 120, 230, 400 V	AC voltage display	6, 12, 24, 50, 120, 230, 400 V

Classifications

ETIM 3.0	EC000494	UNSPSC	41-11-36-37
eClass 5.1	27-20-03-08	eClass 6.2	27-20-03-08
eClass 7.1	27-20-03-08		

Approvals

Approvals



ROHS	Conform
------	---------

Datenblatt

**Passeinsatz für Einsätze E14 4 A
MASTER CHECK**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Zeichnungen

