

**Cable glands
VGM32-MS54 ZE**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Cable gland with external concentric strain relief
(clamping jaws), IP 54

General ordering data

Type	VGM32-MS54 ZE
Order No.	1778490000
Version	cable glands, Brass, nickel-plated, External thread: M 32
GTIN (EAN)	4032248161508
Qty.	25 pc(s).

**Cable glands
VGM32-MS54 ZE**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technische Daten

Dimensions and weights

Length	33 mm	Net weight	149.1 g
--------	-------	------------	---------

General information

AF size 1	40 mm	AF size 2	42 mm
Cable gland	metric	Clamping range, max.	27 mm
Clamping range, min.	17 mm	Clamping range, strain relief, max.	30 mm
Clamping range, strain relief, min.	19 mm	External thread	M 32
Length of thread	8 mm	Material	Brass, nickel-plated
Operating temperature range, max.	80 °C	Operating temperature range, min.	-20 °C
Pitch of thread	1.5	Protection degree with GWDR	IP 65
Seal insert	NBR	Torque for cap nut, max.	12 Nm
Torque for cap nut, min.	12 Nm	Torque for connecting adapter, max.	18 Nm
Torque for connecting adapter, min.	18 Nm		

Classifications

ETIM 3.0	EC000441	UNSPSC	30-21-18-01
eClass 5.1	27-14-91-09	eClass 6.2	27-14-91-09
eClass 7.1	27-14-91-09		

Product information

Descriptive text ordering data	Further versions on request
Descriptive text technical data	Optional sealing ring Length "L" varies depending on the cable diameter used.
Descriptive text accessories	For cable gland tools see the chapter "Tools", p. N.81

Approvals

Approvals



ROHS	Conform
------	---------