

HDC 04A DMDL 2B0

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

General ordering data

Type	HDC 04A DMDL 2B0
Order No.	1665750000
Version	, Size: 1, Protection degree: IP 65, Cover for lower part of housing, Side-locking clamp on lower side, Standard
GTIN (EAN)	4008190422776
Qty.	1 pc(s).

HDC 04A DMDL 2BO

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technische Daten

Dimensions and weights

Length	26.8 mm	Width	36.5 mm
Height	17.5 mm	Net weight	15 g

Dimensions

Total length housing	26.8 mm	Width housing C	26.8 mm
Height of housing B	17.5 mm	Cable entry	for female insert

General data

Housing main material	diecast aluminium
-----------------------	-------------------

Version

Design of housing	Cover for lower part of housing	Size	1
Design	Standard	Top partottom part/lid	Cover
Design of locking system	Side-locking clamp on lower side	Cable entry	for female insert

Classifications

ETIM 3.0	EC000437	UNSPSC	30-21-18-01
eClass 5.1	27-14-34-19	eClass 6.2	27-26-12-03
eClass 7.1	27-44-02-02		

Approvals

Approvals



ROHS	Conform
------	---------

Downloads

DXF	1665750000_HDC_04A_DMDL_2BO_STP.dxf
STEP	1665750000_HDC_04A_DMDL_2BO_STP.stp
PDF	1665750000_HDC_04A_DMDL_2BO_STP_Blatt_1.pdf
IGES	1665750000_HDC_04A_DMDL_2BO_STP.igs
VRML	1665750000_HDC_04A_DMDL_2BO_STP.wrl
EPLAN	1665750000.MZF

HDC 04A DMDL 2BO

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Zeichnungen

