

SAI-M23-SE-L-4/4**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



The M23 round plug-in connectors offer a high number of mating cycles, high current-carrying capacity and high contact-density coupled with minimum dimensions.

General ordering data

Type	SAI-M23-SE-L-4/4
Order No.	1170380000
Version	Sensor/Actuator plug-in connector, Insert
GTIN (EAN)	4032248962518
Qty.	1 pc(s).

SAI-M23-SE-L-4/4

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technische Daten**Dimensions and weights**

Net weight 9 g

General data

Conductor O.D.	-	Contact number diameter	4 x 1 mm + 4 x 2 mm
Contact surface	Gold-plated	Fire behaviour	V-0
Housing main material	Thermoplastic polyamide PA 6, PBT	Insulation resistance	$> 10^{13} \Omega$
Plugging cycles	> 1000	Type of connection	Crimp connection

Classifications

eClass 6.2 27-06-91-90 eClass 7.1 27-06-91-90

Approvals

Approvals




ROHS Conform

SAI-M23-SE-L-4/4


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Zeichnungen

Dimensioned drawing



Pinning



4 times 1-mm male and 4 times 2-mm male