

**Industrial Ethernet
IE-BSS-V14M-RJ45-C**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



PushPull plug-in connector set according to IEC
61076-3-117 ver.14 (PROFINET), metal incl. RJ45 insert

General ordering data

Type	IE-BSS-V14M-RJ45-C
Order No.	1012310000
Version	Flange RJ45, IP 67, Cat.6 _A / Class E _A (ISO/IEC 11801 2010)
GTIN (EAN)	4032248719969
Qty.	10 pc(s).

Industrial Ethernet IE-BSS-V14M-RJ45-C

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technische Daten

Dimensions and weights

Net weight 45.27 g

Temperatures

Operating temperature -40 °C...+70 °C Storage temperature
 Installation temperature

Downloads

Attestation of conformity ISO/IEC EN & TIA/EIA Screened Class E Category 6, 3 connector permanent link	ac107534.pdf	Attestation of conformity ISO/IEC EN & TIA/EIA Screened Class E Category 6, 4 connector channel	ac107533.pdf
Attestation of conformity ISO/IEC EN & TIA/EIA Screened Class EA Category 6A, 2 connector channel	ac107535.pdf	Attestation of conformity ISO/IEC EN & TIA/EIA Screened Class EA Category 6A, 4 connector channel	z1755b-07-D.pdf
PROFINET Manufacturer's Declaration	PN Manufacturer Declaration.pdf		

General data

Category	Cat.6 _A / Class E _A (ISO/IEC 11801 2010)	Connection 1	RJ45
Connection 2	RJ45	Contact surface	Gold over nickel
Housing main material	Zinc diecast	Plugging cycles	750
Protection degree	IP 67	Seal material	EPDM
Sheath diameter, max.	10 mm	Sheath diameter, min.	5 mm
Shielding	360° all-round enclosure	Type of mounting	2 screws

Standards

Connector standard IEC 61076-3-117 Var. 14, IEC 60603-7-51

Classifications

ETIM 3.0	EC000018	eClass 6.2	27-25-05-04
eClass 7.1	27-25-05-04		

Approvals

Approvals



ROHS Conform

**Industrial Ethernet
IE-BSS-V14M-RJ45-C**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Zeichnungen**Installation cut-out**