

FZ 160**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



**up to 1000 V (AC) and 1500 V (DC)
protective insulation acc. to IEC 900. DIN EN 60900**

- drop-forged from high-quality special tool steels
- safety handle with ergonomic and non-slip TPE VDE sleeve
- Made from shockproof, heat-and cold-resistant, non-flammable, cadmium-free TPE (thermoplastic elastomer)
- Elastic grip zone and hard core
- Highly-polished surface
- nickel-chromium electro-galvanised coating protects against corrosion

General ordering data

Type	FZ 160
Order No.	9046350000
Version	Pliers
GTIN (EAN)	4032248357659
Qty.	1 pc(s).

FZ 160

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technische Daten**Dimensions and weights**

Length	160 mm	Weight	163 g
Net weight	141.6 g		

Technical data

Version One-hand mechanical

Classifications

ETIM 3.0	EC000833	UNSPSC	23-17-16-04
eClass 5.1	21-04-03-01	eClass 6.2	21-04-38-90
eClass 7.1	21-04-38-90		

Approvals

Approvals



FZ 160

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Zeichnungen

