

# DIN rail, unperforated - NS 35/ 7,5 UNPERF 2000MM - 0801681

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



DIN rail, material: Steel, unperforated, height 7.5 mm, width 35 mm, length: 2 m

## Product Features

- If you require greater quantities, the same article is available in a unit pack of 25 pcs. (50 m)

## Key commercial data

package_quantity	5
GTIN	4017918006648

## Technical data

### Dimensions

Height	7.5 mm
Length	2000 mm
Width	35 mm

### General

Material	Steel
Coating	Galvanized, passivated with a thick layer
Color	silver
Test standard	In acc. with EN 60715: 2001
Nominal current I <sub>N</sub>	1920 A

## classifications

### eCl@ss

eCl@ss 4.0	27110804
eCl@ss 4.1	27110804
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27400602
eCl@ss 7.0	27400602
eCl@ss 8.0	27400602

### ETIM

ETIM 2.0	EC001285
----------	----------

## DIN rail, unperforated - NS 35/ 7,5 UNPERF 2000MM - 0801681

### classifications

#### ETIM

<b>ETIM 3.0</b>	EC001285
<b>ETIM 4.0</b>	EC000212
<b>ETIM 5.0</b>	EC000212



#### UNSPSC

<b>UNSPSC 6.01</b>	30212109
<b>UNSPSC 7.0901</b>	39121708
<b>UNSPSC 11</b>	39121708
<b>UNSPSC 12.01</b>	39121708
<b>UNSPSC 13.2</b>	39121708

### Drawings

# DIN rail, unperforated - NS 35/ 7,5 UNPERF 2000MM - 0801681

Dimensioned drawing





© Phoenix Contact 2014 - all rights reserved  
<http://www.phoenixcontact.com>