

# DIN rail, unperforated - NS 35/ 7,5 CU UNPERF 2000MM - 0801762

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



DIN rail, material: Copper, unperforated, height 7.5 mm, width 35 mm, length: 2 m

## Product Features

- If you require greater quantities, the same article is available in a unit pack of 25 pcs. (50 m)

## Key commercial data

<b>package_quantity</b>	5
<b>GTIN</b>	4017918006693

## Technical data

### Dimensions

<b>Height</b>	7.5 mm
<b>Length</b>	2000 mm
<b>Width</b>	35 mm

### General

<b>Material</b>	Copper
<b>Coating</b>	uncoated
<b>Color</b>	copper-colored
<b>Test standard</b>	In acc. with EN 60715: 2001
<b>Nominal current I<sub>N</sub></b>	6000 A

## classifications

### eCl@ss

<b>eCl@ss 4.0</b>	27110804
<b>eCl@ss 4.1</b>	27110804
<b>eCl@ss 5.0</b>	27141143
<b>eCl@ss 5.1</b>	27141143
<b>eCl@ss 6.0</b>	27400602
<b>eCl@ss 7.0</b>	27400602
<b>eCl@ss 8.0</b>	27400602

# DIN rail, unperforated - NS 35/ 7,5 CU UNPERF 2000MM - 0801762

## classifications

### ETIM

<b>ETIM 2.0</b>	EC001285
<b>ETIM 3.0</b>	EC001285
<b>ETIM 4.0</b>	EC000212
<b>ETIM 5.0</b>	EC000212

### UNSPSC

<b>UNSPSC 6.01</b>	30212109
<b>UNSPSC 7.0901</b>	39121708
<b>UNSPSC 11</b>	39121708
<b>UNSPSC 12.01</b>	39121708
<b>UNSPSC 13.2</b>	39121708

## Drawings

# DIN rail, unperforated - NS 35/ 7,5 CU UNPERF 2000MM - 0801762

Dimensioned drawing



