
Marking Accessories

- Description and Handling -

WMB Multi marking system



Separating a strip from the WMB or WMB marker card.



Stretching a strip.




Separating an individual marker from the strip, for larger terminal blocks.

Miniature WSB (WAGO Quick marking system)



Marking with miniature WSB Quick marking system.

Miniature WSB or WMB marking



WMB markers in miniature WSB marker receptacles Marking strips, translucent Miniature WSB markers



WFB (WAGO continuous marking strips)



Customized ink pen marking



Carrier for WFB Continuous marking strip; to be secures every 10th terminal block.

Group marking



Group marking on N-busbar carrier used as end stop

WMB Multi marking system



Snapping a strip into the marker slot.

Double marker carrier




Snapping a strip into the marker slot of the double marker carrier.

"Decade" marking



WMB "decade" marking



Group marker carriers



Group marker carrier adjustable in height



Additional group marking


Movable marking system



Additional continuous marking strips



Group Marker Carriers (Height-Adjustable) and Movable Marking System









Receptacles for: 1 x marker 2 x WMB (Multi marking) or 3 x WCB (Combi marking) or 1 x WFB (Continuous marking strips)

Item	No.	Pack. Unit		Item No.	Pack. Unit	
Height-adjustable group marker carrier,			Carrier-through element,			
snap-on type and height-adjustable from 43.5 mm to 59.5			height-adjustak	ole		
mm in 249-116 and 249-117 end stops,						
for 1 marker or self-adhesive label and transparent						
protection covers,						
10 mm wide						
gray 249-	119	50 (2x25)	gray	709-118	50 (2×25)	
snap-on type and height-adjustable from 43.5 mm to 59.5			Carrier-end e	lement,		
mm in 249-116 and 249-117 end stops,			height-adjustab	ole		
for 2 WMB markers or 1 x continuous strip,						
10 mm wide						
gray 249 -	118	100 (4×25)	gray	709-119	50 (2×25)	
snap-on type and height-adjustable from 42.2 mm to 58.2						
mm in 249-116 and 249-117 end stops,						
with marker surface,						
6 mm wide						
white 249-	120	50 (2×25)				
snap-on type and height-adjustable from 45 mm to 61 mm						
in 249-116 and 249-117 end stops,						
for 2 WMB markers or 1 x To	OPJOB [®]	S marking strips,				
12.2 mm wide						
gray 200	9-163	50 (2×25)	Item-Specific Accessories			
			Marking strip carrier,			
			folded, 1 m long, 16 mm wide, 1.7 mm			
				thick	5 11 106, 1	., 111111
			3.5		9-120	1
			Marking card			<u>'</u>
			a.iiig care	with 14 marking str	rips, DIN A4	
			Allina		9-193	1
				pidili 70	, , , 0	- 1

This system can be used as an additional group marker carrier or continuous marking strip carrier for terminal strips or single-deck rail-mount terminal blocks, for exam-


- pue:

 264 Series terminal strips for DIN 35 rails

 279 to 284 Series single-deck rail-mount terminal blocks, with a maximum height of 49 mm/1.93 in from the upper edge of the carrier rail (please observe conductor radius).



Height-adjustable group marker carrier for TOPJOB®S marking strips



Dimensions in mm

