

# Antenna cable - RAD-CAB-EF393-15M - 2885634

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Antenna extension cable, 15 m long; N (male) -> N (male), attenuation approx. 0.45 dB/m@2.4 GHz; impedance 50 Ω

The illustration shows a version of the product

## Product Features

- Cable with low attenuation
- Extension or adaptation of wireless module for antenna

## Key commercial data

<b>package_quantity</b>	1
<b>GTIN</b>	4046356081573

## Technical data

### Dimensions

<b>Fixed cable length</b>	15 m
<b>External diameter</b>	10.00 mm

### Ambient conditions

<b>Ambient temperature (operation)</b>	-40 °C ... 105 °C
<b>Ambient temperature (storage/transport)</b>	-40 °C ... 105 °C

### General

<b>Connection 1</b>	Connector connection
<b>Connection method</b>	N (male)
<b>Note</b>	Both sides
<b>Connection method</b>	N (male)
<b>Cable type</b>	EF 393
<b>Cable, attenuation</b>	approx. 0.45 dB/m
<b>Cable, attenuation</b>	approx. 0.27 dB/m for 900 MHz
<b>Cable, attenuation</b>	approx. 0.44 dB/m for 1.8 GHz
<b>Cable, attenuation</b>	approx. 0.54 dB/m for 2.4 GHz
<b>Cable, attenuation</b>	approx. 0.97 dB/m for 5 GHz
<b>Outer sheath, material</b>	RADOX®(LSFH)
<b>Minimum bending radius</b>	50.00 mm

## Antenna cable - RAD-CAB-EF393-15M - 2885634

### classifications

#### eCl@ss

<b>eCl@ss 4.0</b>	27060805
<b>eCl@ss 4.1</b>	27060805
<b>eCl@ss 5.0</b>	27061805
<b>eCl@ss 5.1</b>	27061805
<b>eCl@ss 6.0</b>	27061805
<b>eCl@ss 7.0</b>	27061805
<b>eCl@ss 8.0</b>	27061805

#### ETIM

<b>ETIM 2.0</b>	EC000019
<b>ETIM 3.0</b>	EC000019
<b>ETIM 4.0</b>	EC000019
<b>ETIM 5.0</b>	EC000019

#### UNSPSC

<b>UNSPSC 6.01</b>	26121608
<b>UNSPSC 7.0901</b>	26121608
<b>UNSPSC 11</b>	26121608
<b>UNSPSC 12.01</b>	26121608
<b>UNSPSC 13.2</b>	26121608

### Drawings